| POPULATION ESTIMATES | CENSUS DATA | LOCAL PUBLIC HEALTH | | | | |
|---|--|--|----------------|--|--|--|
| | | | | | | |
| | ' | | Per | | | |
| Total 1995 Population Est 19, 380 | | <u> Activities Reported Number 10</u> | , 000 | | | |
| Percent Female 49.6 | Note: Data in this section are from | - | | | | |
| | the 1990 Census. (All other | Public Health Nursing | • | | | |
| Population per square mile 57 | sections contain 1995 data | | 56 | | | |
| Rank in state 29 | except where specified.) | Total visits 275 | 142 | | | |
| (1=highest population density, | | Visits: Reason for | | | | |
| 72=lowest population density.) | Ratio of 1989 Family | Gen hlth promotion 18 | 9 | | | |
| | Income to Poverty | Infant/child hlth 4 | 2 | | | |
| | (Cumul ative) | Infectious & parasitic 13 | 7 | | | |
| <u>Age Female Male Total</u> | | Ci rcul atory . | | | | |
| 0-14 2,060 2,120 4,180 | Age <100% <185% <200% | Prenatal 80 | 41 | | | |
| 15-19 710 810 1,531 | <5 11 33 36 1, 328 | Postpartum 59 | 30 | | | |
| 20-24 570 630 1,200 | 5-17 9 28 32 3,969 18-44 7 22 25 7,136 | | | | | |
| 25-29 500 590 1,090 | | WIC Participants 550 | 284 | | | |
| 30-34 720 730 1,450 | 45-64 4 15 16 3,416 | | | | | |
| 35-39 720 840 1,560 | 65+ 13 51 54 2,813 | Clinic Visits 5, 291 2, | 728 | | | |
| 40-44 710 750 1,460 | | Immuni zati on 3, 366 1, 73 | 36 | | | |
| 45-54 1, 100 1, 210 2, 310 | | Blood pressure 959 49 | 94 | | | |
| 55-64 800 820 1,620 | | | | | | |
| 65-74 800 690 1,490 | CANGED INCIDENCE | Environmental Contacts | 100 | | | |
| 75-84 680 460 1, 140 | CANCERINCIDENCE | Env hazards 209 | 108 | | | |
| <u>85+</u> <u>240</u> <u>120</u> <u>360</u> | (1995) | Public health nuisance 34 | 18 | | | |
| Total 9, 610 9, 770 19, 380 | Normhan | Cabaal Haalab | | | | |
| | Primary site Number Colon 11 | School Health | | | | |
| Arta Famala Mala Tatal | | Vision screenings 2, 953 1, 5 | 721 | | | |
| Age Female Male Total 0-17 2,480 2,640 5,120 | Lung | Hearing screenings 1,418 7 | 731 | | | |
| | | Health Edwartten | | | | |
| 18- 44 3, 510 3, 830 7, 340 45- 64 1, 900 2, 030 3, 930 | Prostate 16 All others 41 | Health Education | 19 | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | A11 others 41 Total 92 | | 12 773 | | | |
| Total 9, 610 9, 770 19, 380 | Iotai 92 | School sessions 34 | 18 | | | |
| 10tal 9,010 9,770 19,360 | | | 414 | | | |
| | | School attenuance 802 | 414 | | | |
| E M P L O Y M E N T | LION C TERM CARE | Staffing - FTEs | ı | | | |
| | | | 3. 0 | | | |
| Note: Average wage is based on place | | | 0. 5 | | | |
| of work, not place of residence. | Home Health Agencies 1 | | 0. 3 0. 7 | | | |
| of work, not pract of residence. | Patients 59 | Public health aides 1 0 | 0. 7 0. 6 | | | |
| Average wage for jobs covered | Patients per 10,000 pop 30 | | . 0 | | | |
| Average wage for jobs covered by Unemployment Compensation \$19,341 | Tactories per 10,000 pop | i interest opecialises . | . ' | | | |
| J Chempi of mone compensation (10, 041 | Nursing Homes 2 | 1 | '1 | | | |
| Labor Force Estimates Annual Average | Licensed beds 154 | LOCAL PUBLIC HEALTH FUNDING | ŀ | | | |
| Civilian labor force 10, 317 Number employed 9, 916 Number unemployed 401 | Occupancy rate (percent) 92.5% | | Per ' | | | |
| Number employed 9, 916 | Residents on 12/31/95 137 | | | | | |
| Number unemployed 401 | Occupancy rate (percent) 92.5% Resi dents on 12/31/95 137 Resi dents per 1,000 | Total funding \$230, 299, \$11 | 87 I | | | |
| Unemployment rate 3.9% | population aged 65 or older 44 | Amount Cap Second Total funding | 60 | | | |
| J. 57. 57. 57. 57. 57. 57. 57. 57. 57. 57 | L'altractor agent du di diddi | | | | | |
| ! | ı | | | | | |

----- N A T A L I T Y -----

| TOTAL LIVE BIRTHS | | 218 | Birth Order | Bi rths | Percent | Marital Status | | |
|---|--|--------------------------------------|--|--------------------------------|---|---|-------------------------------|-----------------|
| | | | First | 92 | 42 | of Mother | Births | Percent |
| Crude Live Birth Rate | 9 | 11. 2 | Second | 69 | 32 | Marri ed | 182 | 83 |
| General Fertility Rat | t e | 55. 3 | Thi rd | 36 | 17 | Not married | 36 | 17 |
| 3 | | | Fourth or higher | 21 | 10 | Unknown | 0 | |
| Live births with repo | orted | | Unknown | 0 | • | | | |
| congenital anomalies | | 2 . % | | | | Educati on | | |
| 3 | | | First Prenatal | | | of Mother | Bi rths | Percent |
| <u>Delivery Type</u> | Bi rths | Percent | Vi si t | Bi rths | Percent | Elementary or less | 3 | • |
| Vagi nal after | | | 1st trimester | 197 | 90 | Some high school | 14 | • |
| previous cesarean | 3 | | 2nd trimester | 20 | 9 | High school | 98 | 45 |
| Forceps | 2 | | 3rd trimester | 0 | | Some college College graduate | 72 | 33 |
| Other' vagi nal | 192 | 88 | No visits | 1 | | College graduate | 31 | 14 |
| Primary cesarean | 18 | • | Unknown | 0 | | Unknown | 0 | |
| Repeat cesarean | 3 | • | | - | - | | - | - |
| Other or unknown | Õ | • | Number of Prenatal | | | Smoking Status | | |
| | _ | | Care visits | Bi rths | Percent | of Mother | Bi rths | Percent |
| Birth Weight | Bi rths | Percent | No visits | 1 | • | Smoker | 35 | 16 |
| <1, 500 gm | 1 | • | 1- 4 visits | $\overline{3}$ | • | Nonsmoker | 183 | 84 |
| 1, 500-2, 499 gm | 8 | | 5-9 visits | 41 | 19 | Unknown | 0 | |
| 2, 500+ gm | 209 | 95. 9 | 10-12 visits | 86 | 39 | 0111110 W11 | · · | · |
| Unknown | 0 | | 13 + visits | 87 | 40 | | | |
| | _ | • | Unknown | 0 | | | | |
| | | | Low Birth Weight | | Trailmoot | E: D | V: ~: + | |
| Race of Mother White Black Other Unknown | Total B Births P 215 0 3 0 | | (under 2, 500 gm) Births Percent 9 . | 1st Tr <u>Births</u> 195 | i mester Percent 91 . | er of First Prenatal 2nd Trimester Births Percent 19 | Other/ | Unknown Percent |
| Whi te Bl ack Other | Births P 215 0 3 | <u>ercent</u> | (under 2,500 gm) Births Percent 9 | Bi rths | imester Percent 91 | 2nd Trimester Births Percent 19 | Other/Births 1 | |
| Whi te Bl ack Other | Births P 215 0 3 0 | <u>99</u> | (under 2,500 gm) Births Percent 9 | Births 195 | i mester Percent 91 Tri mest | 2nd Trimester Births Percent 19 er of First Prenatal | Other/Births 1 Visit | Percent |
| Whi te Bl ack Other Unknown | Births P 215 0 3 0 | ercent 99 ertility | (under 2,500 gm) Births Percent 9 | Bi rths 195 | i mester Percent 91 Tri mest | 2nd Trimester Births Percent 19 | Other/Births 1 Visit Other/ | Percent Unknown |
| Whi te Bl ack Other | Births P 215 0 3 0 | <u>99</u> | (under 2,500 gm) Births Percent 9 | Bi rths 195 | i mester Percent 91 Tri mest | 2nd Trimester Births Percent 19 er of First Prenatal | Other/Births 1 Visit Other/ | Percent |
| White Black Other Unknown Age of Mother <15 | Births P 215 0 3 0 Fe Births | ercent 99 ertility Rate | (under 2,500 gm) Births Percent 9 | Births 195 | i mester Percent 91 Tri mest | 2nd Trimester Births Percent 19 er of First Prenatal 2nd Trimester Births Percent | Other/Births 1 Visit Other/ | Percent Unknown |
| White Black Other Unknown Age of Mother | Births P 215 0 3 0 Fe Births 0 9 | ercent 99 crtility Rate | (under 2,500 gm) Births Percent 9 | Births 195 | i mester Percent 91 Tri mest | 2nd Trimester Births Percent 19 er of First Prenatal 2nd Trimester Births Percent | Other/Births 1 Visit Other/ | Percent Unknown |
| White Black Other Unknown Age of Mother <15 15-17 | Births P 215 0 3 0 Fee Births 0 9 5 49 | ercent 99 ertility Rate | (under 2,500 gm) Births Percent 9 Low Birth Weight (under 2,500 gm) Births Percent 1 1 | Births 195 | i mester Percent 91 Tri mest | 2nd Trimester Births Percent 19 er of First Prenatal 2nd Trimester Births Percent | Other/Births 1 Visit Other/ | Percent Unknown |
| White Black Other Unknown Age of Mother <15 15-17 18-19 | Births P 215 0 3 0 Fe Births 0 9 5 | ercent 99 crtility Rate | (under 2,500 gm) Births Percent 9 Low Birth Weight (under 2,500 gm) Births Percent 1 1 | Births 195 | i mester Percent 91 Tri mest i mester Percent | 2nd Trimester Births Percent 19 er of First Prenatal 2nd Trimester Births Percent | Other/Births 1 Visit Other/ | Percent Unknown |
| White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 | Births P 215 0 3 0 Fee Births 9 5 49 78 57 | ercent 99 crtility Rate 86 | (under 2,500 gm) Births Percent 9 Low Birth Weight (under 2,500 gm) Births Percent 1 . | Births 195 | i mester Percent 91 Tri mest i mester Percent | 2nd Trimester Births Percent 19 er of First Prenatal 2nd Trimester Births Percent | Other/Births 1 Visit Other/ | Percent Unknown |
| White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 | Births P 215 0 3 0 Fe Births 0 9 5 49 78 | ercent 99 ertility Rate | (under 2,500 gm) Births Percent 9 Low Birth Weight (under 2,500 gm) Births Percent 1 1 | Births 195 | i mester Percent 91 Tri mest i mester Percent | 2nd Trimester Births Percent 19 er of First Prenatal 2nd Trimester Births Percent | Other/Births 1 Visit Other/ | Percent Unknown |
| White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 | Births P 215 0 3 0 Fee Births 9 5 49 78 57 | ercent 99 ertility Rate | (under 2,500 gm) Births Percent 9 Low Birth Weight (under 2,500 gm) Births Percent 1 1 | Births 195 | i mester Percent 91 Tri mest i mester Percent | 2nd Trimester Births Percent 19 er of First Prenatal 2nd Trimester Births Percent 3 . 1 . 5 . 5 . 5 . | Other/Births 1 Visit Other/ | Percent Unknown |
| White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 | Births P 215 0 3 0 Fe Births 9 5 49 78 57 19 | ercent 99 ertility Rate | (under 2,500 gm) Births Percent 9 Low Birth Weight (under 2,500 gm) Births Percent 1 1 | Births 195 | i mester Percent 91 Tri mest i mester Percent | 2nd Trimester Births Percent 19 er of First Prenatal 2nd Trimester Births Percent 3 . 1 . 5 . 5 . 5 . | Other/Births 1 Visit Other/ | Percent Unknown |
| White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown | Births P 215 0 3 0 Fe Births 9 5 49 78 57 19 1 | ercent 99 ertility Rate | (under 2,500 gm) Births Percent 9 Low Birth Weight (under 2,500 gm) Births Percent 1 1 | Births 195 | i mester Percent 91 Tri mest i mester Percent | 2nd Trimester Births Percent 19 er of First Prenatal 2nd Trimester Births Percent 3 . 1 . 5 . 5 . 5 . | Other/Births 1 Visit Other/ | Percent Unknown |
| White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ | Births P 215 0 3 0 Fe Births 9 5 49 78 57 19 1 | ercent 99 ertility Rate | (under 2,500 gm) Births Percent 9 Low Birth Weight (under 2,500 gm) Births Percent 1 1 | Births 195 | i mester Percent 91 Tri mest i mester Percent | 2nd Trimester Births Percent 19 er of First Prenatal 2nd Trimester Births Percent 3 . 1 . 5 . 5 . 5 . | Other/Births 1 Visit Other/ | Percent Unknown |
| White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown | Births P 215 0 3 0 Fe Births 9 5 49 78 57 19 1 0 | ercent 99 ertility Rate | (under 2,500 gm) Births Percent 9 Low Birth Weight (under 2,500 gm) Births Percent 1 1 | Births 195 | i mester Percent 91 Tri mest i mester Percent | 2nd Trimester Births Percent 19 er of First Prenatal 2nd Trimester Births Percent 3 . 1 . 5 . 5 . 5 . | Other/Births 1 Visit Other/ | Percent Unknown |

| REPORTED CASES OF SELECTED DISEASES | neonatal, an | except in d post-neo d fetal de | fant) are onatal dea | TALITYper 100,000 population. Ith rates are per 1,000 live are per 1,000 live birth | nfant, e births. | |
|--|----------------------------|---------------------------------------|-------------------------|---|---------------------|------------|
| Di sease Number Campyl obacter Enteritis 8 | TOTAL DEATHS | | 193 | Selected | | |
| Campyl obacter Enteritis 8 | Crude Death Ra | ate | 996 | Underlying Cause | | Rate |
| Gi ardi asi s | | | | Heart Disease (total) | 81 | 418 |
| Hepatitis Type A Hepatitis Type B* | A ==== | D + l | Data | Coronary heart disease | 60 | 310 232 |
| Hepatitis Type B* 0 Hepatitis NANB/C** <5 | <u>Age</u> 1-4 | Deaths | Rate | Cancer (total) | 45 10 | 232 |
| Hepatitis NANB/C** <5 Legionnaire's 0 | 1-4 5-14 | i | • | Lung Col orectal | | • |
| Legi onnai re's 0 Lyme 0 | 15-14 15-19 | $\frac{1}{2}$ | • | Female breast | 7 4 | * |
| Measles 0 | 20-34 | 5 | • | Cerebrovascular Disease | | • ' |
| Meningitis, Aseptic 0 | 35-54 | 10 | • | Chron Obstr Pulmonary | ; 17 Q | • |
| Meningitis, Aseptic 0 Meningitis, Bacterial 0 | 55-64 | 15 | • | Pneumonia & Influenza | 3 6 | • |
| Mumps 0 | 65-74 | 38 | 2, 536 | Injuries | | • |
| Pertussis 0 | 75-84 | 70 | 6, 131 | Motor vehicle | 5 4 | • |
| Sal monel losis <5 | 85+ | 50 | 13, 889 | Diabetes | 8 | • |
| Shi gellosis <5 | 1 | | 10, 000 | Infectious & Parasitic | | • |
| Tubercul osi s 0 | ì | | | Sui ci de | 4 | |
| | ' Infant | | | <u>'</u> | | |
| * Includes HBV carriers | ' <u>Mortality</u> | Deaths | <u>Rate</u> | * Rate for female breas | | based |
| ** Includes HCV screens | Total Infant | 2 | • | on female populat | i on. | |
| | Neonatal | 2 | • | ' | | |
| <u>Sexually Transmitted Disease</u> | Post-neonatal | • | • | ALCOHOL AND DRUG ABUSE | | |
| | ∫Unknown | • | • | OR CONTRIBUTING CAUS | E OF DEATI | H |
| Chlamydia Trachomatis <5 | | | | | | |
| Genital Herpes 5 | Race of Mother | | | Al cohol | 1 1 | • |
| Gonorrhea 0 | White Black | 2 | • | Other Drugs Both Mentioned | 1 | • |
| Nongonococcal Cervicitis 0 Nongonococcal Urethritis 0 | Other | • | • | Both Mentioned | • | • |
| Syphilis 0 | Unknown | • | • | MOTOR VEHICLE | CDACHEC | |
| Syphifis | Ulikilowii | • | • | WDIOK VEHICLE | E CRASHES | |
| | Birth Weight | | | Note: These data are b | ased on l | ocatio |
| | <1, 500 gm | 2 | | of crash, not or | | |
| | 1,500-2,499 gm | | | | . resruenc | |
| I M M U N I Z A T I O N S | - 2, 500+ gm | • | | Type of Motor | Persons 1 | Persons |
| | Unknown | • | • | Type of Motor <u>Vehicle Crash</u> | Inj ured | Killed |
| | | - | - | Total Crashes | 142 | 3 |
| Children in Grades K-12 by | Ί | | | Al cohol - Rel ated | 11 | 2 |
| Compliance Level | Perinatal | | | With Citation: | | |
| • | <u>Mortality</u> | | | For OWI | 6 | 0 |
| Compliant 3, 991 | Total Perinatal | 4 | • | For Speeding | 6 | 0 |
| Non-compliant 36 | Neonatal | 2 | • | Motorcyclist | 4 | 0 |
| Percent Compliant 99.1 |) Fetal | 2 | • | Bicyclist | 1 | 0 |
| | | | | Pedestri an | 2 | C |

| DI SEASE / AGE GROUP | Number | Per 1, 000 Pop | Average Stay (Days) | Average | Charge Per Capi ta | DI SEASE / AGE GROUP | Number | 1, 000 | Average Stay (Days) | Average | Charge Per Capi ta |
|-------------------------|--------------------|----------------------|---------------------------|-----------------------|--------------------------|---|---------------|----------------------|---------------------------|-------------------------|--------------------------|
| Injury-Related: | | | | | | Al cohol - Rel at e | | | | | |
| Total | 179 | 9. 2 | 5. 4 | \$9, 479 | \$87 | Total | 17 | • | • | • | • |
| <18 | 18 | 0 1 | ••• | 00 011 | 0.41 | 18- 44 | 13 | • | • | • | • |
| 18- 44 45- 64 | 45 | 6. 1 | 3. 9 | \$6,611 | \$41 | 45-64 | 3 | • | • | • | • |
| 45- 64 65+ | 40 76 | 10. 2 25. 3 | 5. 5 6. 2 | \$8, 911 \$11, 002 | \$91 \$279 | Pneumonia and I | nfluonzo | | | | |
| Injury: Hip l | | 25. 5 | 0. 2 | \$11,002 | 3219 | Total | 37 | 1. 9 | 5. 6 | \$6, 922 | \$13 |
| Total | 17 | | | | | 10001 | 4 | | | 30, 322 | 313 |
| 65+ | 17 | • | • | • | • | 45- 64 | 6 | • | • | • | • |
| Injury: Pois | | • | • | • | • | 65+ | 23 | 7. 7 | 6. 3 | \$8, 31 2 | \$ 6 4 |
| Total | 9 | | | | | 1 | 20 | | 0.0 | φο, στ <i>ε</i> | 401 |
| 18- 44 | 4 | • | • | • | • | Cerebrovascul ar | Disease | | | | |
| 10 11 | - | • | • | • | • | Total | 68 | 3. 5 | 6. 6 | \$8, 311 | \$29 |
| Psychi atri c | | | | | | 45-64 | 11 | | | , , , , , | 420 |
| Total | 82 | 4. 2 | 7. 7 | \$4, 841 | \$20 | 65+ | 56 | 18. 7 | 6.8 | \$8, 259 [.] | \$154 [.] |
| <18 | 21 | 4. 1 | 8. 2 | \$5, 269 | \$22 | | | | | , | • - |
| 18- 44 | 34 | 4. 6 | 6. 9 | \$4,004 | \$19 | Chronic Obstruc | ctive Pulr | nonary I |)i sease | | |
| 45- 64 | 12 | • | • | • | • | Total | 21 | 1. 1 | 3. 7 | \$4, 234 | \$5 |
| 65 + | 15 | | • | • | • | < 18 | 2 | | | • | • |
| | | | | | | ['] 18- 44 | 3 | | | | |
| Coronary Heart | | | | | | 45-64 | 4 | • | | | |
| Total | 89 | 4.6 | | \$12, 286 | \$56 | 65+ | 12 | | | • | • |
| 45-64 | 23 | 5. 9 | 4. 7 | \$14, 419 | \$85 | | | | | | |
| 65 + | 64 | 21. 3 | 4. 9 | \$11, 715 | \$250 | Drug-Related | | | | | |
| | | , | 43.3 | | | Total | 4 | • | • | • | • |
| Malignant Neopl | lasms (Car | | All | 00 577 | 600 | 18-44 | 1 | • | • | • | • |
| Total | 86 | 4. 4 | 5. 9 | \$8, 577 | \$38 | Track III. | | | | | |
| 18-44 | 5 | r . c | | 00 407 | 0.50 | Total Hospitali | | 07.0 | 4.0 | OC 400 | 0001 |
| 45-64 65+ | 22 59 | 5. 6 19. 7 | 6. 4 5. 9 | \$9, 427 \$8, 534 | \$53 \$168 | Total | 1, 887 341 | 97. 3 66. 4 | 4. 6 3. 1 | \$6, 488 \$3, 061 | \$631 \$203 |
| Neoplasms: Fo | | | | | | <18 18-44 | 341 463 | 63. 1 | 3. 1 3. 3 | \$3, 061 \$4, 307 | \$203 \$272 |
| Total | elliare brea 17 | ist (Ta | ites for | тешаге ро | pui at i oii) | 18-44 45-64 | 324 | 82. 6 | 5. 2 | \$4, 307 \$8, 589 | \$272 \$710 |
| Neoplasms: C | | • | • | • | • | 45-64 65+ | 759 | 253. 0 | 5. Z 5. 7 | | \$710 \$2, 141 |
| Total | 10 1 ect al | L | | | | 00 + | 100 | 200. U | J. 1 | 90, 1 01 | ψω, 1 71 |
| 65+ | 8 | • | • | • | • | PREVENTA | B L E H | 0 S P I | ТАІ | TZATI | 0 N S |
| Neoplasms: L | | • | • | • | • | Total | 223 | 11.5 | 5.5 | \$6.923 | \$80 |
| Total | 7 | | | _ | _ | <18 | 24 | 4.7 | 2.6 | \$2, 302 | \$11 |
| 20041 | • | • | • | • | • | 18-44 | $\tilde{29}$ | 4. 0 | 4.6 | \$5,003 | \$20 |
| Diabetes | | | | | | 45-64 | 27 | 6. 9 | | \$15, 521 | \$107 |
| Total | 20 | 1.0 | 5. 9 | \$6, 697 | \$7 | 65+ | 143 | 47. 7 | 5. 7 | \$6, 464 | \$308 |
| 65 + | 13 | | | • | • | | | | | • | • |
| | | | | | | * Hospitalization effective ambulation. | atory care | onditior e can re | s where educe th | timely an e likeliho | nd ood of |